822 8. 4m Dr.

City of Bethlehem, Pennsylvania

V ADDITION TO BE CONTINUED OF A DEPOSIT A SERVICE (CO. 1)
Building address 803 805 Mortan St. Beth Kum Pa 18015 P65E2A-21-1
Owner of building 1st Hispanic Boptist Church Phone 610-691-6555
Owner's email & mailing address Dibhb822 @ Vahoo. Com 822 E. 4thSt Be
Applicant Janet Perez Cardona Phone: 484-241-5078
Applicant's email & mailing address Derez cardonaion et @ yahoo. com 2115 Pinehurstreet and Number Bethieberry State PA zip Code 18018
APPLICANT MUST ATTEND MEETING FOR CASE TO BE HEARD. USE THE CHECKLIST ON THE BACK OF THIS APPLICATION TO ENSURE YOUR SUBMISSION IS
<u>COMPLETE.</u>
Historic & Architectural Review Board – Application form, photographs, and drawings must be submitted by 12:00 Noon on the last Wednesday of the month in order to be placed on the agenda for the next meeting.
South Bethlehem & Mount Airy Historic Conservation Commission - Application form, photographs, and drawings must be submitted by 12:00 noon on the second Monday of the month in order to be placed on the agenda for the next meeting.
1. PHOTOGRAPHS - Photographs of your building and neighboring buildings must accompany your application.
2. TYPE OF WORK PROPOSED - Check all that apply. Please bring any samples or manufactures specifications for
products you will use in this project.
Trim and decorative woodwork Skylights
Siding and Masonry Metal work
Roofing, gutter and downspout Light fixtures
Windows, doors, and associated hardware Signs
Storm windows and storm doors Demolition
Shutters and associated hardware Other
Paint (Submit color chips – HARB only)
3. DRAWINGS OF PROPOSED WORK – Required drawings must accompany your application. Please submit <u>ONE</u>
ORIGINAL AND TEN (10) COPIES OF DRAWINGS, PHOTOGRAPHS, APPLICATION FORM, AND ANY
<u>SPECIFICATIONS</u>
Alteration, renovation, restoration (1/4 or 1/8"=1'0" scale drawings required IF walls or openings altered.)
New addition (1/4" or 1/8"=1'0" scale drawings: elevations, floor plans, site plan)
New building or structure (1/4" or 1/8"=1'0" scale drawings: elevations, floor plans, site plan)
Demolition, removal of building features or building (1/4" or 1/8"=1'0" scale drawings: elevation of remaining site
and site plan)
A scale drawing, with an elevation view, is required for all sign submittals
4. DESCRIBE PROJECT - Describe any work checked in #2 and #3 above. Attach additional sheets as needed. Replacing aluminum windows with stationary and single hung fiberglass windows.
5. APPLICANT'S SIGNATURE DATE: 8/11/17

44"4

" 9/

1,2,49











Double- and Single-Hung Windows Stationary








DOUBLE-HUNG WINDOWS

For maximum ventilation-both upper and lower sashes open and tilt for easy cleaning.



SINGLE-HUNG WINDOWS

The lower sash can be raised to let the breeze in.

Years of smooth, effortless operation. Our Advanced Balance System ensures your window will open and close easily for years to come.


A tighter seal against the elements. Pella's cam-action locks pull the sashes against the weatherstripping.

Fixed, Special Shape and Window Combinations

Curves, angles and more. Special Shape windows, made from fiberglass resin (non-Duracast® fiberglass composite), beautifully complement other Pella Impervia' products.*

A quality, seamless look. Grille options are available to match other Pella Impervia products.

More ways to express your style. Factoryassembled window combinations allow you to create a stunning focal point in your home.



SPECIAL SHAPE WINDOWS

Additional shapes are available. See an associate for details.



Rectangle



Pentagon



Trapezoid



Triangle



Half Circle



Quarter Circle



Arch Head



Springline



Partial Arch Head

FACTORY-ASSEMBLED WINDOW COMBINATIONS

Additional combinations are available. See an associate for details.



2-Wide Awning



2-High Awning



Right Sliding



Fixed over Left Sliding



Large Fixed over Awning



Transom over Double-Hung

2-Wide

Casement



2-Wide Double-Hung



Large Fixed with Double-Hung Flankers



3-Wide Casement



Large Fixed with Casement Flankers